IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Gregory R. Black

Serial No. : Not Yet Assigned (Continuation of 09/490,687)

Docket No. 60,512-002

Filed Concurrently Herewith :

Title METHOD FOR IDENTITY VERIFICATION

PRELIMINARY AMENDMENT AND SUBMISSION OF FORMAL DRAWINGS

Assistant Commissioner of Patents & Trademarks Washington, D.C. 20231

Prior to examination, please amend the present application as follows:

Dear Sir:

Prior to examination, please amend the present application as follows:

IN THE SPECIFICATION

Please delete the paragraph of page 1, lines 1-19 and insert the following

This Application is related to and claims priority to U.S. Patent Application serial no. 09/535,411 file March 24, 2000 which claims priority to U.S. Serial No. 09/490,687 entitled "Writing Implement For Identity Verification System" Filed 20 January 2000, U.S. Provisional Application No. 60/177,390 entitled "Writing Implement for Identity Verification System" filed 20 January 2000, U.S. Provisional Application No. 60/163,433, entitled "Writing Implement for Identity Verification System filed 11 November 1999, U.S. Provisional Application No. 60/154,590 entitled "Writing Implement for Identification Verification System" filed 17 September 1999, U.S. Provisional Application No. 60/144,028 entitled "Biometric Pen and Encryption Device" filed 16 July 1999, PCT Application No. PCT/US99/07900 entitled "Biometric Hotel and Casino Play" filed 07 April 1999, U.S. Provisional Application No.

713

60/119,408 entitled Identification Confirmation System" filed 10 February 1999, U.S. Provisional Application No. 60/116,212 entitled "Identification Confirmation System" filed 19 January 1999, U.S. Provisional Application No. 60/114,632 entitled "Identification Confirmation System" filed 04 January 1999, U.S. Provisional Application No. 60/109,511 entitled "Biometric Writing Implement" filed 23 November 1998, U.S. Provisional Application No. 60/088,498 entitled "Biometric Hotel and Casino Play" filed 08 June 1998, and U.S. Provisional Application No. 60/080,962 entitled "Biometric Hotel and Casino Play" filed 07 April 1998.

IN THE CLAIMS

Please cancel claims 2-19.

Please add the following new claims 20-51.

20. (New) A stylus for use as an identity verification device, the stylus being coupled to a processor, comprising:

a stylus body; and,

a sensor coupled to the stylus body, the sensor being adapted to capture a thumbprint of a user as a user finger touches the sensor coupled to the stylus body .

21. (New) A stylus, as set forth in claim 20, wherein the sensor is coupled to the processor, the processor being adapted to compare the captured thumbprint with a reference thumbprint to confirm user identity.

- 22. (New). A stylus, as set forth in claim 20, wherein the sensor is coupled to the processor, the processor being adapted to compare the captured thumbprint with a plurality of reference thumbprints in search of a match.
- 23. (New). A stylus, as set forth in claim 20, wherein the processor is contained within the stylus body.
 - 24. (New). A stylus, as set forth in claim 20, wherein the sensor is a digital sensor.
- 24. (New). A stylus, as set forth in comparing the captured thumbprint. 25. (New). A stylus, as set forth in claim 20, including a memory device coupled to
 - 26. (New) A stylus, as set forth in claim 20, wherein the sensor is adapted to capture a second print.
 - 27. (New) A stylus, as set forth in claim 26, wherein the sensor is adapted to capture the thumbprint and the second print of the user at the same time.

- 28. (New) A stylus, as set forth in claim 20, including a second sensor coupled to the stylus body, the second sensor being adapted to capture a second print.
 - 29. (New) An identity verification device, comprising:

a stylus having a body;

a sensor coupled to the body, the sensor being adapted to capture a thumbprint of a user as a user thumb touches the stylus body;

a memory device for storing at least one reference print; and,

a processor coupled to the sensor and the memory device, the processor

being adapted to receive the captured thumbprint, the processor being adapted to compare the

captured thumbprint with the at least one reference print.

- 30. (New) An identity verification device, as set forth in claim 29, wherein the processor is adapted to compare the captured thumbprint with the reference print to confirm the user identity.
- 31. (New) An identity verification device, as set forth in claim 29, wherein the processor is adapted to compare the captured thumbprint with a plurality of reference prints in search of a match.

with the external system.

processor is contained within the stylus body.

- 32. (New) An identity verification device, as set forth in claim 29, wherein the
- 33. (New) An identity verification device, as set forth in claim 29, wherein the processor is contained within an external system and wherein the stylus is digital communication

- (New) An identity verification device, as set forth in claim 29, wherein the sensor is a digital sensor.
- 35. (New) An identity verification device, as set forth in claim 29, wherein the memory device is adapted to store the captured thumbprint.
- 36. (New) An identity verification device, as set forth in claim 29, wherein the sensor is adapted to capture a second print.
- 37. (New) An identity verification device, as set forth in claim 36, wherein the sensor is adapted to capture the thumbprint and the second print of the user at the same time.

- 38. (New) An identity verification device, as set forth in claim 29, including a second sensor coupled to the body, the second sensor being adapted to capture a second print.
- 39. (New) An identity verification device, as set forth in claim 29, wherein the stylus is a pen and includes an ink tube.
 - (New) A stylus, comprising:

a body;

a sensor coupled to the body, the sensor being adapted to capture a

40. (New) A styling a both a second a second a meter as the reference fingerprint; and, fingerprint of a user as the user grasps the stylus;

a memory device within the body and being adapted to store at least one

- a processor within the body and being coupled to the sensor and the memory device, the processor being adapted to receive the captured fingerprint, the memory device being adapted to compare the captured fingerprint with the at least one reference fingerprint.
- 41. (New) A stylus, as set forth in claim 40, wherein the processor is adapted to compare the captured fingerprint with the at least one reference print to confirm user identity.

- 42. (New) A stylus, as set forth in claim 40, wherein the processor is adapted to compare the captured fingerprint with a plurality of reference prints in search of a match.
 - 43. (New) A stylus, as set forth in claim 40, wherein the sensor is a digital sensor.
- 44. (New) A stylus, as set forth in claim 40, wherein the memory device is adapted to store the captured thumbprint.
- 45. (New) A stylus, as set forth in claim 40, wherein the sensor is adapted to capture a second print.
- 46. (New) A stylus, as set forth in claim 40, including a second sensor coupled to the body, the second sensor being adapted to capture a second print.
- (New). A stylus, as set forth in claim 40, wherein the stylus is a pen and includes an ink tube.

a body;

a sensor coupled to the body, the sensor being adapted to capture a fingerprint of a user as a user finger touches the stylus body;

a memory device within the body, the memory device being adapted to store at least one reference fingerprint; and,

a processor within the stylus body and being coupled to the sensor, the processor being coupled to the memory device, the processor being adapted to receive the captured fingerprint, the processor being adapted to store the captured fingerprint within the memory device, and the memory device being adapted to compare the captured fingerprint with the at least one reference fingerprint.

49. (New) A stylus, as set forth in claim 48, wherein the processor is adapted to compare the captured fingerprint with the at least one reference print to confirm user identity.

- 50. (New) A stylus, as set forth in claim 48, wherein the processor is adapted to compare the captured thumbprint with a plurality of reference prints in search of a match.
 - 51. (New). A stylus, as set forth in claim 48, wherein the sensor is a digital sensor.

Applicant: Black Attorney No.: 60,512-003 Page 9 of 16

REMARKS

No new matter is added by the amendment. The present application is a continuation of application serial no. 09/535,411 filed March 24, 2000. By this amendment claims 1-19 are cancelled and new claims 20-51 are added. An early Notice of Allowance is solicited. If the Examiner believes that a telephone interview would be beneficial, please contact the undersigned at the number indicated.

Applicant also submits herewith eighteen sheets of formal drawings for the aboveidentified application

Respectfully submitted,

HOWARD & HOWARD ATTORNEYS, P.C.

James R. Yee, Registration No. 34,460 The Pinehurst Office Center, Suite #101

39400 Woodward Avenue Bloomfield Hills, MI 48304-5151

CERTIFICATE OF EXPRESS MAILING

I hereby certify that the enclosed CONTINUATION PATENT APPLICATION and fee is being deposited with the United States Postal Service as Express Mail, postage prepaid, in an envelope as "Express Mail Post Office to Addressee", Mailing Label No. EL858272980US and addressed to the Assistant Commissioner of Patents, Washington, D. C. 20231, on October 12, 2001.

9

Date

111

19

On page 1, delete the paragraph on lines 1-19 and insert the following:

This Application is related to and claims priority to U.S. Patent Application serial no. 09/535,411 file March 24, 2000 which claims priority to [under] U.S. Serial No. 09/490,687 entitled "Writing Implement For Identity Verification System" Filed 20 January 2000, U.S. Provisional Application No. 60/177,390 entitled "Writing Implement for Identity Verification System" filed 20 January 2000, U.S. Provisional Application No. 60/163,433, entitled "Writing Implement for Identity Verification System filed 11 November 1999, U.S. Provisional Application No. 60/154,590 entitled "Writing Implement for Identification Verification System" filed 17 September 1999, U.S. Provisional Application No. 60/144,028 entitled "Biometric Pen and Encryption Device" filed 16 July 1999, PCT Application No. PCT/US99/07900 entitled "Biometric Hotel and Casino Play" filed 07 April 1999, U.S. Provisional Application No. 60/119,408 entitled Identification Confirmation System" filed 10 February 1999, U.S. Provisional Application No. 60/116,212 entitled "Identification Confirmation System" filed 19 January 1999, U.S. Provisional Application No. 60/114,632 entitled "Identification Confirmation System" filed 04 January 1999, U.S. Provisional Application No. 60/109,511 entitled "Bjometric Writing Implement" filed 23 November 1998, U.S. Provisional Application No. 60/088,498 entitled "Biometric Hotel and Casino Play" filed 08 June 1998, and U.S. Provisional Application No. 60/080,962 entitled "Biometric Hotel and Casino Play" filed 07 April 1998.

STATE

tel.

Please cancel claims 2-19.

Please add the following new claims 20-51.

20. (New) A stylus for use an identity verification device, the stylus being coupled to a processor, comprising:

a stylus body; and,

a sensor coupled to the stylus body, the sensor being adapted to capture a thumbprint of a user finger touches the sensor coupled to the stylus body.

- 21. (New) A stylus, as set forth in claim 20, wherein the sensor is coupled to the processor, the processor being adapted to compare the captured thumbprint with a reference thumbprint to confirm user identity.
- [1] 22. (New) A stylus, as set forth in claim 20, wherein the sensor is coupled to the processor, the processor being adapted to compare the captured thumbprint with a plurality of reference thumbprints in search of a match.
 - 23. (New) A stylus, as set forth in claim 20, wherein the processor is contained within the stylus body.
 - 24. (New) A stylus, as set forth in claim 20, wherein the sensor is a digital sensor.

- 25. (New) A stylus, as set forth in claim 20, including a memory device coupled to the sensor for storing the captured thumbprint.
- 26. (New) A stylus, as set forth in claim 20, wherein the sensor is adapted to capture a second print,
- 27. (New) A stylus, as set forth in claim 26, wherein the sensor is adapted to capture the thumbprint and the second print of the user at the same time.
- 28. (New) A stylus, as set forth in claim 20, including a second sensor being adapted to capture a second print.

 29. (New) An identity verification device, comprising:

 a stylus having a body;

 a sensor coupled to the body, the sensor being 28. (New) A stylus, as set forth in claim 20, including a second sensor coupled to the

a sensor coupled to the body, the sensor being adapted to capture a thumbprint of a user as a thumb touches the stylus body;

a memory device for storing at least one reference point; and,

a processor coupled to the sensor and the memory device, the processor being adapted to receive the captured thumbprint, the processor being adapted to compare the captured thumbprint with the at least one reference print.

- 30. (New) An identity verification device, as set forth in claim 29, wherein the processor is adapted to compare the captured thumbprint with the reference print to confirm the user identity.
- 31. (New) An identity verification device, as set forth in claim 29, wherein the processor is adapted to compare the captured thumbprint with a plurality of reference prints in search of a match.
- 32. (New) An identity verification device, as set forth in claim 29, wherein the processor is contained within the stylus body.

 33. (New) An identity verification device, as set forth in claim 29, wherein the processor is contained within an external system and wherein the stylus is digital communication with the external system. with the external system.
 - 34. (New) An identity verification device, as set forth in claim 29, wherein the sensor is a digital sensor.

125

- 35. (New) An identity verification device, as set forth in claim 29, wherein the memory device is adapted to store the captured thumbprint.
- 36. (New) An identity verification device, as set forth in claim 29, wherein the sensor is adapted to capture a second print.
- 37. (New) An identity verification device, as set forth in claim 36, wherein the sensor is adapted to capture the thumbprint and the second print of the user at the same time.
 - 38. (New) An identity verification device, as set forth in claim 29, including a second
- An identity verification device, as set forth in claim 29, including sensor coupled to the body, the second sensor being adapted to capture a second print.

 39. (New) An identity verification device, as set forth in claim 29, wherein is a pen and includes an ink tube. 39. (New) An identity verification device, as set forth in claim 29, wherein the stylus
 - 40. (New) A stylus, comprising:

a body;

a sensor coupled to the body, the sensor being adapted to capture a fingerprint of a user as the user grasps the stylus;

a memory device within the body and being adapted to store at least one reference fingerprint; and,

- a processor within the body and being coupled to the sensor and the memory device, the processor being adapted to receive the captured fingerprint, the memory device being adapted to compare the captured fingerprint with at least one reference fingerprint.
- 41. (New) A stylus, as set forth in claim 40, wherein the processor is adapted to compare the captured fingerprint with the at least one reference print to confirm user identity.
- 42. (New) A stylus, as set forth in claim 40, wherein the processor is adapted to compare the captured fingerprint with a plurality of reference prints in search of a match.
 - 43. (New) A stylus, as set forth in claim 40, wherein the sensor is a digital sensor.
- 6 | 144 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 14
 - 45. (New) A stylus, as set forth in claim 40, wherein the sensor is adapted to capture a second print.
 - 46. (New) A stylus, as set forth in claim 40, including a second sensor coupled to the body, the second sensor being adapted to capture a second print.
 - 47. (New) A stylus, as set forth in claim 40, wherein the stylus is a pen and includes an ink tube.

48. (New) A stylus, comprising:

a body;

a sensor coupled to the body, the sensor being adapted to capture a fingerprint of a user as a user finger touches the stylus body;

a memory device within the body, the memory device being adapted to store at least one reference fingerprint; and,

a processor within the stylus body and being coupled to the sensor, the processor being coupled to the memory device, the processor being adapted to receive the captured fingerprint, the processor being adapted to store the captured fingerprint within the memory device, and the memory device being adapted to compare the captured fingerprint with the at least one reference fingerprint.

- 49. (New) A stylus, as set forth in claim 48, wherein the processor is adapted to compare the captured fingerprint with the at least one reference print to confirm user identity.
- 50. (New) A stylus, as set forth in claim 48, wherein the processor is adapted to compare the captured thumbprint with a plurality of reference prints in search of a match.
 - 51. (New) A stylus, as set forth in claim 48, wherein the sensor is a digital sensor.




FIGURE 1A




FIGURE 1B




FIGURE 2A






FIGURE 3B










FIGURE 4B





FIGURE 4C






FIGURE 5A




FIGURE 5B




FIGURE 5C




FIGURE 5D





FIGURE 5E









FIGURE 6

REGISTRATION











FIGURE 9

FIGURE 10







FIGURE 11



<u>Figure 13B</u>

